

# WASHROOM ACCESSORIES



BUILDING VALUE SINCE 1906



# PURPOSEFUL SOLUTIONS

The restroom can be a source of sustained value. With Bobrick, the right accessories can support your design vision and stand the test of time.



## **NEW B-820** Automatic Multi-Feed Soap Dispensing System

Serve up to six  
sinks at once.

Page 20



## **NEW B-2974** Surface-Mounted Automatic, Universal Roll Towel Dispenser

Timeless aesthetics,  
intuitive operation and  
robust engineering.

Page 13

## **NEW MAKE A BOLD STATEMENT WITH MATTE BLACK**

Bobrick's Matte Black Collection will give your washrooms an ultramodern style and finish. High-end design. Labour-saving function. Sustainable operation. No matter what your design goal is, Bobrick's Matte Black accessories can help you deliver.



## **From Outside of the Cubicle to Inside the Cubicle, Bobrick has you covered.**

From soap dispensers to toilet tissue dispensers, each item in the collection exudes sophistication while delivering exceptional performance. Explore the possibilities with our complete line at [bobrick.com](http://bobrick.com).







**VIEW THE COLLECTION ONLINE**



# CONTENTS

- 2. Integrated Accessory Series
- 4. Restroom Accessories
- 6. Soap Dispensers
- 12. Combination Units
- 20. Paper Towel Dispensers
- 26. Hand Dryers
- 30. Waste Bins
- 32. Mirrors
- 34. Toilet Compartment Accessories
- 36. Cubicle Collection
- 37. Toilet Tissue Dispensers
- 40. Grab Bars
- 42. Sanitary Bins
- 43. Seat Cover Dispensers
- 44. Specialty Accessories
- 46. Bathroom Accessories
- 48. Childcare Accessories
- 51. Healthcare Accessories
- 52. Why Bobrick?

# LEGEND

- NEW** Introduced in 2022 or later
- IMPROVED** Operational improvement(s) or new feature(s)
-  Sustainable operation by reducing waste and/or consumable usage
-  TowelMate™ paper towel-saving accessory available
-  LinerMate™ bin liner retainer accessory available
-  Cost Savings Calculator available at [bobrick.com](https://bobrick.com)

# INDEX

Product .....	Pages		
B-165 Series .....	32	B-4063 .....	10
B-1658 Series .....	33	B-4112 .....	10
204-2 .....	47	B-4207 .....	47
262-130* .....	24	B-4221 .....	43
B-2012 .....	10	B-4262 .....	22
B-2111 .....	11	B-4288 .....	37
B-221216 .....	51	B-4354 .....	42
B-221 .....	43	B-43644 .....	30
B-254 .....	42	B-4369 .....	14
B-262 .....	23	B-4388 .....	37
B-26607 .....	11	B-43944* .....	14
B-26627 .....	11	B-4998* .....	41
B-270 .....	42	B-50516 .....	51
B-277 .....	30	B-526 .....	22
B-279 .....	31	B-532 .....	31
B-2888* .....	38	B-541 .....	36
B-2890 .....	39	B-542 .....	36
B-2892 .....	39	B-543 .....	36
B-290 Series* .....	32	B-544 .....	36
B-2908 Series .....	33	B-545 .....	47
B-293 Series* .....	32	B-546 .....	36
B-297 .....	46	B-547 .....	36
B-29744 .....	25	B-548 .....	36
B-3013 .....	43	B-549 .....	36
B-318 .....	22	B-5806 .....	41
B-35139 .....	42	B-580616 .....	41
B-35303 .....	42	B-58616 .....	41
B-35633 .....	31	B-635 .....	46
B-35643 .....	31	B-6699 .....	39
B-3574 .....	43	B-671 .....	47
B-3588 .....	37	B-676 .....	47
B-35883 .....	37	B-680 .....	47
B-359 .....	23	B-6806 .....	40
B-359039 .....	23	B-68137 .....	40
B-3644 .....	30	B-68616 .....	40
367-60 .....	13	B-699 .....	38
368-60 .....	13	B-6999 .....	38
369-130* .....	24	B-7125 .....	28
B-36903 .....	15	B-7128 .....	29
B-3725* .....	28	B-715 .....	29
B-3803 .....	15	B-7188 .....	29
3803-130* .....	24	B-7180 .....	29
B-38031* .....	16	B-7816 .....	51
B-38033 .....	17	B-820 .....	9
B-38034 .....	17	B-822 Series .....	10
B-3888 .....	38	B-823 Series* .....	11
B-39003 .....	18	B-824* .....	8
39003-130* .....	24	B-828* .....	8
B-3944 .....	18	B-8281* .....	8
3944-52 .....	13	B-918116 Series .....	51
3944-130* .....	24	KB300* .....	50
B-3961* .....	19	KB300-SS* .....	50
3961-50 .....	13	KB301* .....	50
B-3974 .....	19, 25	KB310-SSRE* .....	49
3974-350 .....	13, 25	KB311-SSRE* .....	49
B-398 .....	46		

\*Patent or patent pending. For patent information, please visit [bobrick.com/patents](https://bobrick.com/patents).

## For Additional Products, Tools & Documentation

For Technical Data Sheets, Guide Specifications, CAD Files, BIM Objects, Installation Instructions and more, visit Bobrick online at [bobrick.com](https://bobrick.com)



# DESIGN INTEGRATED ACCESSORY SERIES

## TrimLineSeries™

TrimLineSeries features a contemporary minimalist design, manufactured with satin-finish type 304 stainless steel. The low-profile TrimLineSeries warm air hand dryer extends the Series and supports inclusive design for accessibility compliance. TrimLineSeries features 90° angles on all exterior and interior corners and openings. Flanges are concealed for additional design simplicity.

Flush-mounted,  
rectangular doors  
and openings.



© 2018 BRE Group. "BREEAM Societe Generale 1 Bank Street Exterior." Creative Commons License: CC BY-ND 2.0  
<https://www.flickr.com/photos/brewatford/44156437650>



## ClassicSeries™

A seamless flange is the visual trademark of ClassicSeries, our most comprehensive selection of washroom accessories. ClassicSeries accessories feature satin-finish type 304 stainless steel throughout, whilst being engineered for the economic demands of price-sensitive projects.



Classic beveled flanges, hemmed edges, piano hinges.

## ConturaSeries™

ConturaSeries sets the bar for design integrity and quality. ConturaSeries towel dispensers feature the TowelMate™ paper saving system, which limits paper delivery to one towel at a time. This eliminates towel bunching and waste, saving 20% or more in paper towels, preserving the environment and lowering operating costs. ConturaSeries waste bins include LinerMate™ bin liner retainers, which provide a neat, flush appearance with no unsightly bag overhang. ConturaSeries is manufactured with satin-finish type 304 stainless steel.



Seamless monoform draws, flush locks, precise fit and finish.



# RESTROOM ACCESSORIES



**B-290**  
**Welded-Frame Mirror**

*Page 32*



**B-38031**  
**TrimLineSeries 3-in-1**  
**Recessed Paper Towel**  
**Dispenser, Automatic**  
**Hand Dryer and Waste Bin**

*Page 16*



**B-828**  
**SureFlo Foam Automatic**  
**Counter-Mounted Soap**  
**Dispenser**

*Page 8*



**B-3725**  
**TrimLineSeries Recessed**  
**Hand Dryer**

Page 28



**Corporate Office**

Products: B-290, B-38030, B-824



**Healthcare Facility**

Products: B-6806, B-35745, B-50516



# SOAP DISPENSERS

## What makes an effective soap dispenser specification?

The right soap dispenser should meet the needs of your building's unique traffic. It should save time and money for the building owner, while minimising consumables usage—all while providing durable, long-lasting functionality. In addition, they should not lock the building owner into lengthy and costly commitments to proprietary soap cartridges. Bobrick soap dispensers address these challenges with a range of automatic, manual, liquid and foam bulk soap options.

DESIGN

SUSTAINABLE

DURABLE

ECONOMICAL

HYGIENIC

FREEDOM



# AUTOMATIC OR MANUAL?

Although the no-touch restroom is quickly becoming industry standard, automatic accessories are not a universal solution. Some projects may benefit from manual operation.



**Automatic Operation**

## Benefits

- Enhances hygiene, reduces cross-contamination
- Controls soap usage with portion control
- Creates a seamless, modern experience

## Ideal Applications

- Prestige or high-end buildings
- Low to medium traffic facilities
- Washrooms with other touch-free accessories, especially faucets



**Manual Operation**

## Benefits

- No batteries or power source required
- Foam soap offers greater hand coverage, discouraging excessive usage
- More mounting options

## Ideal Applications

- Buildings with limited janitorial staff or resources
- High-traffic facilities
- Projects with stringent capital budgets



# B-828, B-8281 & B-824 SUREFLO® FOAM or LIQUID AUTOMATIC SOAP DISPENSER

## Features & Benefits

- **Labor Savings:** Top filling saves labor; oversized fill port designed for economical bulk jug soap. No more under-counter servicing of screw-on cartridges.
- **Soap Savings:** Foam or Liquid bulk jug soap saves more than 80% compared to proprietary cartridges at locked-in prices; SureFlo ROI averages one year.
- **Design Continuity:** Polished chrome finish reflects design continuity with other restroom accessories compared to the plastic retrofit hodgepodge.
- **Reliable Operation:** Electronic activation system defines the “dispense zone,” eliminating hand waving and false dispensing. Adjustable portion control.
- **Responsible:** Five 800ml soap cartridges hold approximately the same amount as a one-gal. bulk jug, resulting in a 57% reduction of post-consumer waste.



## B-828 or B-8281 SureFlo Foam Automatic, Counter-Mounted Soap Dispensers

## B-824 SureFlo Liquid Automatic, Counter-Mounted Soap Dispenser

### How Much Will You Save?

Estimates based on one dispenser, comparing bulk-fill SureFlo to under-counter proprietary cartridges.\*

- Annual soap savings **82%**
- Post-consumer waste reduction **57%**

There are additional labor-saving factors such as top-filling compared to frequent under-counter cartridge changeovers. Plus, the time consuming convenience of bulk jug soap.

Based on 35 people per sink at 4 hand washes per day, equating to 112ml of soap per day or 29.5L per year per sink. Bulk soap approximate annual cost \$41.01.



Patented.

## DESIGNER'S NOTE

SureFlo dispensers can be powered through an AC Adapter, supporting sustainable, economical operation. It requires no batteries, which ultimately end up in landfills.



# MULTI-FEED SOAP DISPENSING SYSTEMS

## SERVICE MULTIPLE DISPENSERS FROM SINGLE SOURCE

### NEW

#### Automatic Liquid & Foam Soap Systems

B-820 Six liter top-fill reservoir feeds up to six B-820-248 foam or B-820-258 liquid dispensers

#### Features & Benefits

- **Engineered for Busy Restrooms:** Designed for heavy traffic restrooms. Serves up to 6 sinks with automatic soap dispensers.
- **Hygienic:** Automatic dispensing for touchless hand washing.
- **Easy Maintenance:** Counter-mounted 6-liter reservoir for convenient top filling.
- **Cost-Saving:** Uses bulk soap for significant cost savings of 80% or more over proprietary cartridges.



#### Fill Port Indicators

LED indicator on the fill port lets maintenance staff know when service is needed.

- Blinks green when soap level is below 25-30%.
- Stops blinking green and warning alarm sounds to signal to stop filling.
- If using the optional battery pack, blinks red when batteries are low.





## SOAP DISPENSERS



**B-822 Series**  
Manual Liquid Counter-Mounted Soap Dispensers

Top-filling, counter-mounted liquid soap dispensers for ease of maintenance and labour savings. Bright-polished, vandal-resistant locking cover and spout. High-impact resistant body and shank.

	B-822	B-8221
Capacity (litres)	1.0	0.6
Spout Length	100	100
Max Mounting Thickness	100	25

	B-8226	B-82216
Capacity (litres)	1.0	0.6
Spout Length	150	150
Max Mounting Thickness	100	25



**B-2012**  
Automatic Wall-Mounted Soap Dispenser

No-touch activation promotes hygiene. Satin-finish stainless steel is durable and coordinates with other Bobrick accessories. Bulk-fill 850ml reservoir provides savings compared to proprietary cartridges. Dispenses hand sensitizers and surgical soaps. Easily installs.

**B-2013**, which dispenses foam soap, is also available.

	Unit
Width	108
Height	242
Depth	107



**B-4112**  
**ConturaSeries**  
Surface-Mounted Soap Dispenser

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Container is satin-finish stainless steel. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Vandal resistant.

	Unit
Width	180
Height	155
Depth Wall to Push-button	85
Accessibility Mounting Height	1245



**B-4063**  
**ConturaSeries**  
Recessed Soap Dispenser

Corrosion-resistant valve dispenses all-purpose hand soaps. Satin-finish stainless steel front with plastic soap vessel attached to back. Capacity: 1.5L. Soap refill window. Pulls out for maintenance.

	Unit	Wall Opening
Width	185	150
Height	160	140
Recess	100	102
Projection Wall to Push-button	40	N/A
Accessibility Mounting Height	1245	1230



**B-26627**  
**TrimLineSeries**

**Surface-Mounted Foam Soap Dispenser**

Satin-finish stainless steel. Accepts foaming soap cartridges or bulk-fill foaming soaps. Push activated with less than 22.2N. Capacity: 500ml. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal resistant.



**B-26607**  
**TrimLineSeries**

**Surface-Mounted Liquid Soap Dispenser**

Satin-finish stainless steel. Accepts liquid soap cartridges or bulk-fill soaps. Push activated with less than 22.2N. Capacity: 500ml. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal resistant.

	B-26627	B-26637
Width	96	96
Height	297	336
Projection	153	153
Capacity (litres)	0.5	1
Accessibility Mounting Height	1380	1420

	B-26607	B-26617
Width	96	96
Height	297	336
Projection	153	153
Capacity (litres)	0.5	1
Accessibility Mounting Height	1380	1420



**B-2111**  
**ClassicSeries**

**Surface-Mounted Soap Dispenser**

Vertical tank is satin-finish stainless steel. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Hinged filter-top requires special key to open. Vandal resistant. B-2112, with horizontal tank, is also available.

	Unit
Width	120
Height	205
Depth Wall to Push-button	90
Accessibility Mounting Height	1245



**B-823 Series**

**Manual Foam Counter-Mounted Soap Dispensers**

Top-filling, counter-mounted foaming soap dispensers for ease of maintenance and labour savings. Bright-polished, vandal-resistant locking cover and spout. High-impact resistant body and shank. Patented.

	B-823	B-8231
Capacity (litres)	1.0	0.6
Spout Length	100	100
Max Mounting Thickness	75	75

	B-8236	B-82316
Capacity (litres)	1.0	0.6
Spout Length	150	150
Max Mounting Thickness	75	75



# COMBINATION UNITS

## Make the most of a limited footprint.

And how can you do so while still supporting your patrons' unique hand-drying and waste-disposal needs? Bobrick Combination Units offer flexibility in form and function, allowing patrons to fulfill various functions with one convenient unit. Recessed units make the most of limited space while supporting high-end design. Sustainable dispensing solutions economise paper towel usage, resulting in operating cost reduction and decreased maintenance expense. Durable construction means that you can rest assured that your specification will have a lasting impact.

DESIGN

SUSTAINABLE

DURABLE



# INTERCHANGEABLE MODULES



## Adapt To Hand-Drying Needs

A washroom may serve different patrons and traffic patterns over the course of the building's life cycle. This may require switching between different paper towel dispensing solutions.

Convertible series cabinets allow facility managers to change between folded, mechanical roll and automatic roll paper towel dispensers, without inconvenience or additional cost. Waste bin capacity can also be adjusted in the field without changing the cabinet.

### Flexible Solutions

The following modules can be interchanged in **B-3974** (page 19), **B-3944** (page 18), **B-3961** (page 19) and their alternate models. Modules can also be used in many other manufacturers' similar cabinets.



**3944-52**  
Folded Towel  
Dispenser Module



**366-60**  
22.7L Waste  
Bin Module



**3961-50**  
Touch-Free, Pull Roll  
Towel Dispenser  
Module



**367-60**  
45.4L Waste  
Bin Module



**NEW**  
**3974-350**  
Automatic Roll Towel  
Dispenser Module



**368-60**  
68.1 L Waste  
Bin Module



## COMBINATION UNITS



### B-43944 ConturaSeries

#### Recessed Paper Towel Dispenser/Waste Bin with TowelMate and LinerMate

Satin-finish stainless steel. Flush tumbler lock. Dispenses 600 C-fold or 800 multifold towels. Waste bin has 53.8L capacity. Removable front panel for easy cleaning. Includes TowelMate and LinerMate accessories. Patented.



	Unit B-43944	Unit B-43949	Wall Opening B-43944
Width	445	445	405
Height	1430	1430	1390
Recess	100	N/A	100
Projection	125	230	N/A
Accessibility Mounting Height	1555	1555	1530



### B-4369 ConturaSeries

#### Recessed Paper Towel Dispenser/Waste Bin with TowelMate and LinerMate

Satin-finish stainless steel. Flush tumbler lock. Dispenses 350 C-fold or 475 multifold towels. Waste bin has 11.4L capacity. Removable front panel for easy cleaning. Includes TowelMate and LinerMate accessories. Patented.



	Unit B-4369	Unit B-43699	Wall Opening B-4369
Width	325	325	290
Height	710	715	675
Recess	100	N/A	100
Projection	65	170	N/A
Accessibility Mounting Height	1340	1340	1315



**B-3803**  
**TrimLineSeries**

**Recessed Paper Towel Dispenser/Waste Bin**

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single fold towels. Removable, leak-proof, 23.8L waste container.



	Unit B-3803	Unit B-38034	Wall Opening	
			B-3803	B-38034
Width	330	330	292	292
Height	1400	1400	1362	1362
Recess	142	92	146	95
Projection	14	14	N/A	N/A
Accessibility Mounting Height	1545	1545	1520	1520



**B-36903**  
**TrimLineSeries**

**Recessed Paper Towel Dispenser/Waste Bin**

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 300 C-fold or 400 multifold towels. Removable, leak-proof, 6.1L waste container. Cabinet does not lock.



	Unit	Wall Opening
Width	330	290
Height	790	750
Recess	90	95
Projection	14	N/A
Accessibility Mounting Height	1295	1270



# TRIMLINE SERIES

## 3-IN-1 COMBINATION UNIT



### B-38031

#### TrimLineSeries

#### 3-in-1 Recessed Paper Towel Dispenser, Automatic Hand Dryer and Waste Bin

Reduces towel usage up to 20% with TowelMate built in. Sustainable 900-watt high-performance hand dryer for reduced energy consumption and waste. Flush TrimLine space-saving design and robust satin-finish stainless steel construction, complementing washrooms from Class-A offices to fine restaurants. Door has 90° return. Dispenses 600 multifold or 450 C-fold paper towels. Removable, leak-proof, 46.8L waste container. Meets reach range requirements for Australian DDA, UK Doc M, US ADA and similar standards. Minimalistic styling with single-door design. Available in 115V and 230V versions. **B-38030** similar to B-38031, but with 13.7L waste container. Patented.



	Unit B-38031	Unit B-38030	Wall Opening B-38031	Wall Opening B-38030
Width	396	396	362	362
Height	1448	1448	1412	1412
Recess	195	100	202	102

#### Features & Benefits

Reduces towel usage, energy use and waste while providing a fast, comfortable hand dry.

- **Economical:** Patented TowelMate dispenses a single towel at a time eliminating bunching, reducing usage by up to 20%.
- **Quiet & Efficient:** Operates quietly and provides a comfortable, complete hand-dry.
- **Sustainable:** Patrons reduce consumption and waste by combining a 900-watt high performance dual-air hand dryer and a single paper towel.
- **Compliant:** Paper dispenser, air outlets and waste disposal meet reach range requirements for Australian DDA, UK Doc M, US ADA and similar standards.
- **Durable:** Robust type 304 stainless steel hinges provide long life, vandal resistance and easy maintenance.



**B-38033**  
**TrimLineSeries**

**Recessed Paper Towel Dispenser/Automatic Hand Dryer/Waste Bin**

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 450 C-fold, 600 multifold or 850 single-fold paper towels. Removable leak-proof, 12.5L waste container. Hand dryer: 220-240V AC, 7 Amp, 1500-1700 Watts, 50/60 Hz, Single Phase, VDE approved and CE marked. **815969** similar to B-38033, but unit is narrower and taller.

	Unit		Wall Opening	
	B-38033	815969	B-38033	815969
Width	385	330	350	292
Height	1415	1829	1380	1794
Recess	145	143	145	145
Projection	14	14	N/A	N/A
Accessibility Mounting Height	1545	1740	1520	1740



**B-38034**  
**TrimLineSeries**

**Recessed Paper Towel Dispenser/Waste Bin**

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold or 800 multifold towels. Removable, leak-proof, 14.4L waste container. **B-3803**, which also dispenses 1100 single-fold towels, with removable, leak-proof, 24L waste container, is also available.



	Unit		Wall Opening	
	B-3803	B-38034	B-3803	B-38034
Width	330	330	292	292
Height	1400	1400	1362	1362
Recess	143	92	146	95
Projection	14	14	N/A	N/A
Accessibility Mounting Height	1545	1545	1520	1520



## COMBINATION UNITS



### B-39003

#### TrimLineSeries

##### Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 45.5L waste container.



	Unit	Wall Opening
Width	435	405
Height	1420	1387
Recess	195	200
Projection	14	N/A
Accessibility Mounting Height	1535	1510



### B-3944

#### ClassicSeries

##### Recessed Convertible Paper Towel Dispenser/Waste Bin

Unit includes folded paper towel module and 45.4L waste bin module which can be interchanged with an automatic or touch-free roll towel module and 68.1L waste bin module. Seamless, beveled flange. Dispenses 600 C-fold or 800 multifold towels. Removable waste bin is locked into cabinet.



	Unit B-3944	Unit B-3942	Unit B-3947	Unit B-3949	Wall Opening	
					B-3944 B-3947	B-3942 B-3942
Width	437	443	437	445	406	406
Height	1422	1429	1422	1430	1390	1390
Recess	100	50	100	N/A	100	57
Projection	105	158	208	210	N/A	N/A
Accessibility Mounting Height	1534	1534	1534	1534	1510	1510



# CLASSICSERIES

## RECESSED CONVERTIBLE COMBINATION UNITS



### B-3961 ClassicSeries

#### Recessed Convertible Paper Towel Dispenser/Waste Bin

Unit includes touch-free roll towel module and 45.4L waste bin module which can be interchanged with an automatic or folded towel module and 68.1L waste bin module. Seamless, beveled flange. Mechanism dispenses 305mm length per pull of non-proprietary roll paper towels. Accommodates 203mm wide, up to 203mm diameter rolls, 244mm long. Removable waste bin is locked into cabinet.



	Unit	Unit	Unit	Wall Opening	
	B-3961	B-39617	B-39619	B-3961	B-39617
Width	437	437	445	403	403
Height	1422	1422	1430	1387	1387
Recess	100	100	N/A	100	100
Projection	130	206	235	N/A	N/A
Accessibility Mounting Height	1400	1400	1430	1375	1375



### NEW B-3974 ClassicSeries

#### Recessed Convertible Automatic Roll Towel Dispenser/Waste Bin

Improved activation and delivery system are more user-friendly. Sensor-operated towel dispenser accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244m long with 38 to 51mm diameter standard core. Accommodates stub roll up to 89mm diameter with automatic transfer. Battery or AC powered. Removable 45.4L waste bin is locked into cabinet.



	Unit	Unit	Unit	Wall Opening	
	B-3974	B-3979	B-39747	B-3974	B-39747
Width	435	445	435	405	405
Height	1420	1430	1420	1390	1390
Recess	100	N/A	100	102	102
Projection	130	235	205	N/A	N/A
Accessibility Mounting Height	1460	1485	1460	1435	1435



# PAPER TOWEL DISPENSERS

## **Save paper. Save money. Save labour.**

An inappropriate paper towel dispenser specification—and an effective specification—can affect a washroom’s operating efficiency for years. Bobrick Paper Towel Dispensers and the TowelMate paper towel-saving accessory are engineered to provide building owners with greater control over paper towel consumption and purchasing options, all while reducing waste and minimising labour expense associated with refilling and maintaining dispensing units.

DESIGN

SUSTAINABLE

ECONOMICAL

FREEDOM



# ROLL OR FOLD?



**Roll Paper Towels**

## Benefits

- More sustainable than folded paper towels in most buildings
- Can feature adjustable towel pull lengths, shorter second pull lengths
- Stub roll utilisation feature provides complete consumable usage at less replacement time

## Ideal Applications

- Buildings where sustainable operation is important
- High-traffic facilities
- Projects with stringent operating budgets



**Folded Paper Towels**

## Benefits

- Can be dispensed one at a time with TowelMate accessory installed, reducing waste
- Faster dispensing of towels
- Dispensers may be concealed, countertop mounted or have minimal wall protrusion

## Ideal Applications

- Washrooms where low-profile design is desired, but recessed roll dispensers are not viable
- Prestige buildings with low-to-medium traffic where a minimalistic design theme is preferred



## PAPER TOWEL DISPENSERS



### **B-4262** **ConturaSeries**

#### **Surface-Mounted Paper Towel Dispenser with TowelMate**

Satin-finish stainless steel. Top of cabinet equipped with key lock. Secured to cabinet with a full-length stainless steel piano-hinge. Dispenses 400 C-fold or 525 multifold towels. Cabinet slots indicate refill time. Includes built-in TowelMate. Patented.



	Unit
Width	275
Height	345
Depth	125
Accessibility Mounting Height	1320



### **B-318** **TrimLineSeries**

#### **Concealed Paper Towel Dispenser**

Satin-finish stainless steel. Dispenses 600 C-fold or 900 multifold towels. Towels load into bottom of cabinet concealed behind wall or mirror; only the towel tray is visible.

	Unit	Wall Opening
Width	291	305
Height	455	465
Recess	110	114
Accessibility Mounting Height	1140	1140



### **B-526** **TrimLineSeries**

#### **Countertop-Mounted Recessed Paper Towel Dispenser**

Satin-finish stainless steel. Flange has 90° return. Towels load into top of dispenser. Dispenses 300 C-fold or multifold towels. Housing below countertop to conceal dispenser is not included.

	Unit	Countertop Opening
Width	325	310
Height	150	115
Recess	285	430
Projection	6	N/A



**B-359039**  
**TrimLineSeries**

**Surface-Mounted Paper Towel Dispenser**

Heavy-gauge stainless steel with all-welded construction. Removable skirt is Type 304 stainless steel. Accommodates 300 C-fold or 400 multifold towels. Door-swing limiter prevents damage to washroom accessories and walls.



	Unit
Width	325
Height	440
Depth	115
Accessibility Mounting Height	1270



**B-262**  
**ClassicSeries**

**Surface-Mounted Paper Towel Dispenser**

Satin-finish stainless steel. Hemmed towel tray opening. Dispenses 400 C-fold 525 multifold towels. Door has key lock and piano-hinge. Cabinet slots indicate refill time.



	Unit
Width	275
Height	355
Depth	100
Accessibility Mounting Height	1320



**B-359**  
**ClassicSeries**

**Recessed Paper Towel Dispenser**

Satin-finish stainless steel. Seamless, beveled flange. Dispenses 350 C-fold or 475 multifold towels. Door equipped with full-length stainless steel piano-hinge at bottom; swings down for easy filling.



	Unit	Wall Opening
Width	325	285
Height	435	395
Recess	100	102
Projection	5	N/A
Accessibility Mounting Height	1320	1295



# TOWELMATE

## PAPER TOWEL-SAVING ACCESSORY

### TOWELMATE

#### Paper Towel-Saving Accessory

Eliminates the dispensing of handfuls of towels with the “Perfect Pull Rod” separating and dispensing individual C- or multifold towels. Patented TowelMate accessory installs in existing cabinets without tools and fits Bobrick dispensers and similar models of other manufacturers. Patented.



#### TowelMate Part No.

#### Models

TowelMate Part No.	Models
3803-130	B-3803, B-38032
39003-130	B-39003, B-390034, B-369034
369-130	B-359, B-35903, B-369, B-36903, B-3699, B-359033, B-359039
3944-130	B-39034, B-380349, B-3942, B-3944, B-3947, B-3949
262-130	B-262, B-2620, B-2621, B-26212



3944-130



39003-130



369-130



Reduces towel usage up to 20% by dispensing one towel at a time.



# NEW AUTOROLL DISPENSER SERIES

FEATURING PATRON-FRIENDLY INDICATOR LIGHTS



## B-3974 Classic Series

Recessed Convertible  
Automatic Roll Towel  
Dispenser/Waste Bin



## 3974-350 Interchangeable Module



## B-29744 Automatic Semi-Recessed Roll Towel Dispenser

Surface-mounted B-2974  
is also available.

### Features & Benefits

- Converting from folded towels to roll towels saves 30 %
- Open-market non-proprietary purchasing provides freedom from locked-in contract prices
- Adjustable lengths and stub roll utilisation for zero waste
- Sustainable type 304 satin-finish, 50 %-75 % recycled post-industrial stainless steel
- Durable fabrication, hygienic operation, accessibility-compliant

### Colour Indicator Lights

- Green: Ready to dispense
- Red: Contact maintenance
- Orange: Low batteries\*

\*3974-57 AC adapter eliminates battery requirement

Patented.

Review Interchangeable Module options on page 13. Additional AutoRoll Dispenser options available at [bobrick.com](http://bobrick.com).





# HAND DRYERS

## **The right hand dryer specification supports your vision.**

For decades, hand dryers have become known for excessive noise levels, high energy usage, slow dry times and institutional design. However, Bobrick's line of Hand Dryers offers contemporary options that can eliminate these challenges across a range of building types. Support a high-end aesthetic with distinguished, low-profile designs. Take advantage of low-wattage operation to reduce energy expense. Specify a quiet model consistent with the tranquil experience that patrons may expect. And if you so desire, achieve all of these benefits while eliminating paper towels and associated waste completely.





# BALANCING NOISE, ENERGY AND DESIGN

To ensure optimal use of hand dryers, it is essential to take a holistic approach to product selection. Before specifying a hand dryer, consider the following:



A **low-wattage** jet dryer can help mitigate the energy impact of hand dryers, especially in high-traffic environments.



Many hand dryers have an institutional aesthetic. **Low-profile stainless steel** units can elevate design.



Excess or unpleasant noise can negatively impact the patron experience. A hand dryer with a **low decibel (dBA) rating** can help ensure appropriate acoustics for your project.



Water splashing and puddles are common complaints associated with many hand dryers. A drying alcove can **catch and absorb water**, thereby reducing maintenance while improving safety and hygiene.

## DESIGNER'S NOTE

Although green building standards, such as LEED and others throughout the world, are typically a primary focus of sustainability efforts, they do not address many operational issues. Approaching product selection from an operational standpoint can ensure authentic, long-term sustainability.



## HAND DRYER INNOVATIONS LOW-WATTAGE & LOW-PROFILE OPTIONS



### **B-3725** **TrimLineSeries**

#### **Recessed Hand Dryer**

Recessed automatic hand dryer featuring low-profile design and a 150mm deep drying alcove to capture dripping water to create a more hygienic washroom that eases janitorial load. Operates at 70 dBA sound level with a sustainable 1.0 KW power rating. Installs in a 100mm wall depth. Patented.



#### **Unit**

Width	300
Height	1390
Depth	50



### **B-7125** **InstaDry Hand Dryer**

Surface-mounted high-speed hand dryer with an energy consumption of only 200 watts, making it the most sustainable jet dryer on the market. The slim profile cover projects no more than 98mm from the finished face of wall to comply with accessible design guidelines. Touts a dry time of less than 12 seconds.



#### **Unit**

Width	319
Height	274
Depth	98

### **DESIGNER'S NOTE**

While the highly sustainable InstaDry hand dryer is ideal for high-traffic applications, such as transportation centres and stadiums, the Recessed Hand Dryer may be more appropriate for prestige facilities where design, noise and hygiene are priorities.



**B-7188**  
**TerraDry™**

**Surface-Mounted Hand Dryer**

Bright-polished chrome die-cast aluminium cover. Operates at a mere 70 dBA. Slim 100mm depth is compliant with accessibility standards.



	Unit
Width	259
Height	350
Depth	100



**B-7180**  
**TerraDry™**

**Surface-Mounted Hand Dryer**

White, high-gloss epoxy finish cast aluminium cover. Operates at a mere 70 dBA. Slim 100mm depth is compliant with accessibility standards.

	Unit
Width	259
Height	350
Depth	100



**B-7128**  
**TrimDry™**

**Surface-Mounted Hand Dryer**

Durable, 0.9mm (22-gauge), type 304 satin-finish stainless steel cover with black plastic trim. Operates at 71 dBA.



	Unit
Width	350
Height	345
Depth	100






**B-715**  
**Elan™**

**Surface-Mounted Hand Dryer**

Contemporary styling, satin-finish type 304 stainless steel cover. Automatic hand sensor.

	Unit
Width	295
Height	280
Depth	140

**Sound Level Comparison of Bobrick's QuietDry™ Series with Brands X and D.**

Brand	Bobrick QuietDry Series	Brand X	Brand D
Measured in Decibels (dBA)*	72 dBA 	83 dBA 	85 dBA 

\*TEST METHODOLOGY: Noise levels declared for all products are measured in a semi-reverberant laboratory setting with dryer mounted at the manufacturer's recommended height. Visit [bobrick.com](http://bobrick.com) for additional test results.

**Explore Bobrick's extensive range of Hand Dryers and related power requirements at [bobrick.com](http://bobrick.com)**



## WASTE BINS



### **B-277** **ConturaSeries** Surface-Mounted Waste Bin with LinerMate

Satin-finish stainless steel. Top edges are hemmed and bottom of waste bin has recessed finger grip for safe handling. Includes LinerMate Bin Liner Retainer Accessory for managing disposable bin liners. Capacity: 48.3L. Patented.

	Unit
Width	385
Height	585
Depth	215



### **B-3644** **ClassicSeries** Recessed Waste Bin

Satin-finish stainless steel. Seamless, beveled flange. Removable 45.4L bin locks into cabinet. Hooks hold optional vinyl liner.

	Unit	Wall Opening
<b>Width</b>	<b>437</b>	<b>405</b>
<b>Height</b>	<b>778</b>	<b>745</b>
<b>Recess</b>	<b>100</b>	<b>102</b>
<b>Projection</b>	<b>105</b>	<b>N/A</b>



### **B-43644** **ConturaSeries** Recessed Waste Bin with LinerMate

Satin-finish stainless steel. Removable front panel for easy cleaning. Includes LinerMate Bin Liner Retainer Accessory for managing disposable bin liners. Capacity: 48.3L. Patented.

	Unit	Wall Opening
<b>Width</b>	<b>440</b>	<b>405</b>
<b>Height</b>	<b>705</b>	<b>665</b>
<b>Recess</b>	<b>100</b>	<b>102</b>
<b>Projection</b>	<b>130</b>	<b>N/A</b>



**B-35633**  
**TrimLineSeries**

**Recessed Waste Bin**

Self-closing door secured with spring-loaded, full-length stainless steel piano hinge. Internal heavy-gauge stainless steel bin is removable for servicing. Capacity: 11.3L.

	Unit	
Width	359	
Height	715	
Depth	94	



**B-35643**  
**TrimLineSeries**

**Recessed Waste Bin**

Two tumbler locks, full-length stainless steel piano hinge, leak-proof plastic waste container. Capacity: 45.4L.

	Unit	
Width	440	
Height	1018	
Depth	193	



**B-532**  
**TrimLineSeries**

**Circular Waste Chute**

Satin-finish stainless steel. Flat flange suitable for counter, recessed, or under-counter installation. Provides access to under-counter waste bin (not included).

	Unit B-532	Unit B-529
Outer Dia.	170	175
Inner Dia.	150	140
Recess	100	130
Projection	0.8	11
	Countertop Opening	
	B-532	B-529
Outer Dia.	N/A	N/A
Inner Dia.	153	153
Recess	N/A	N/A
Projection	N/A	N/A



**B-279**  
**ClassicSeries**

**Surface-Mounted Waste Bin**

Satin-finish stainless steel. Bottom edges hemmed for maximum safety. Hooks hold furnished reusable vinyl liner; removable for servicing. Capacity: 24.2L.

	Unit	
Width	355	
Height	455	
Depth	150	



## MIRRORS



### B-290 Series

#### Welded-Frame Mirrors

One piece, roll-formed 19 x 19mm angle-frame. Type 304 stainless steel angle with satin finish. Corners heliarc welded, ground and polished smooth. Beveled frame edge at mirror for improved appearance. No. 1 quality, 6mm glass mirror; warranted against silver spoilage for 15 years. Galvanised steel back. Secured to concealed wall hanger with theft-resistant mounting. Patented.

	(B-290) 1830	1836	2430	2436	2448	2460	2472
Width	46	46	61	61	61	122	61
Height	76	91	76	91	122	152	183



### B-165 Series

#### Channel-Frame Mirrors

One-piece, 13 x 13mm channel-frame. Type 430 stainless steel with bright-polished finish. Mitred corners. Frame screw permits easy replacement of glass. No. 1 quality, 6mm glass mirror warranted against silver spoilage for 15 years. Galvanised steel back. Secured to concealed wall hanger with theft-resistant mounting.

	(B-165) 1824	1830	1836	2430	2436	2448	2460	4836
Width	46	46	46	61	61	61	61	122
Height	61	76	91	76	91	122	152	91



### B-293 Series

#### Fixed-Position Tilt Mirrors

Provide visibility for wheelchair users. Type 304 stainless steel, satin-finish frame with beveled edges provides gapless fit for improved appearance and safety. No. 1 quality, 6mm glass mirror electrolytically copper-plated. Extends 111mm from wall at top and tapers to 33mm at bottom. Mounting frame with tumbler lock is separate for easy replacement of glass. Patented.

	(B-293) 1830	1830	2436
Width	46	46	61
Height	76	91	91

### Special-Order Custom Sizes

Series	B-290	B-165	B-293
Max. Width	366	224	122
Max. Height	183	183	91



## B-1658 Series & B-2908 Series

### Standard Size Tempered Glass Mirrors

Tempered mirrors are engineered for heavy-traffic, vandal-prone bathrooms in stadiums, outdoor recreation centres and low-supervision facilities such as parks and public toilets.

Tempered glass mirrors resist breakage and provide a measure of safety from broken glass, but differ in colour and reflective quality from standard glass mirrors. Bobrick uses the highest quality tempered glass mirrors. Modest distortion or heat-generated markings are normal in the tempered glass mirror manufacturing process. Therefore, Bobrick will not accept returns of tempered glass mirrors with random distortion or markings.



### B-1658 Series

#### Standard Size Tempered Glass Channel-Frame Mirrors

Same frame as B-165 Series.  
6mm tempered glass mirror.

	(B-1658) 1830	2436
Width	46	61
Height	76	91



### B-2908 Series

#### Standard Size Tempered Glass Welded-Frame Mirrors

Same frame as B-290 Series.  
6mm tempered glass mirror.

	(B-2908) 1830	1836	2436
Width	46	46	61
Height	76	91	91

### Special-Order Reflective Surfaces

Polished Stainless Steel, Tempered and Laminated Glass Mirrors resist breakage and provide a measure of safety from broken glass, but differ in colour and reflective quality from standard glass mirrors. Available on special order.

### DESIGNER'S NOTES

- To specify mirrors, use Series Number desired followed by width, then height in inches.
- Framed mirrors are manufactured to overall dimensions and must be installed with width and height dimensions as ordered.
- For framed mirrors, provide minimum 25mm clearance at top and each side of mirror for mounting on wall hanger



# TOILET COMPARTMENT ACCESSORIES



**B-6806 Straight Grab Bar**

Page 40



**B-3013 ClassicSeries Recessed Seat Cover Dispenser**

Page 35



35



**B-3588 TrimLineSeries Surface-Mounted Multi-Roll Toilet Tissue Dispenser**

Page 32



**B-544 Cubicle Collection Toilet Brush**

Page 34





**B-35303**  
**TrimLineSeries**  
**Recessed Sanitary**  
**Napkin Disposal**

*Page 39*



Products: B-542, B-544, B-541,  
B-546, B-3013, B-35139, B-3541



Products: B-543, B-544, B-4998,  
B-5892, 819440.UK, 819441.UK



# CUBICLE COLLECTION

## ADD COORDINATED ELEGANCE TO ANY CUBICLE

Featuring contemporary styling, all Cubicle Collection models share common elements such as threaded escutcheons and post diameters.



**B-541**  
Spare Toilet Roll Holder



**B-542**  
Coat Hook



**B-543**  
Surface-Mounted  
Toilet Tissue Dispenser  
for Single Roll



**B-540**  
Surface-Mounted  
Toilet Tissue Dispenser  
with Utility Shelf



**B-544**  
Toilet Brush Holder



**B-546**  
Toilet Tissue Dispenser  
with Hood



**B-547**  
Double Toilet Tissue  
Dispenser



**B-548**  
Double Toilet Tissue  
Dispenser with Hoods



**B-549**  
Double Coat Hook



**B-4288  
ConturaSeries  
Surface-Mounted  
Multi-Roll Toilet Tissue  
Dispenser**

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

	Unit
Width	155
Height	280
Depth	150
Accessibility	710
Mounting Height	



**B-4388  
ConturaSeries  
Recessed Multi-Roll Toilet  
Tissue Dispenser**

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush key lock. Holds two rolls up to 133mm in diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

	Unit	Wall Opening
Width	190	160
Height	320	290
Recess	76	80
Projection	75	N/A
Accessibility Mounting Height	730	710



**B-3588  
TrimLineSeries  
Surface-Mounted Multi-Roll  
Toilet Tissue Dispenser**

Satin-finish stainless steel. Door equipped with a tumbler lock keyed like other Bobrick washroom accessories. Theft resistant.

	Unit
Width	345
Height	215
Depth	115
Accessibility	710
Mounting Height	



**B-35883  
TrimLineSeries  
Recessed Multi-Roll  
Toilet Tissue Dispenser**

Satin-finish stainless steel. Door equipped with a tumbler lock keyed like other Bobrick washroom accessories. Theft resistant.

	Unit
Width	346
Height	215
Recess	100
Projection	14
Accessibility	635
Mounting Height	

**Wall Opening**

Width	318
Height	187
Recess	102
Projection	N/A
Accessibility	630
Mounting Height	



## TOILET TISSUE DISPENSERS



### B-2888 ClassicSeries

#### Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Patented.

	Unit
Width	155
Height	280
Depth	150
Accessibility Mounting Height	710



### B-3888 ClassicSeries

#### Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Door has flat face with protruding key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

	Unit	Wall Opening
Width	155	160
Height	320	290
Depth	75	80
Recess	76	N/A
Accessibility Mounting Height	730	710



### B-699

#### Recessed Toilet Tissue Dispenser with Hood for Two Rolls

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets).

	Unit	Wall Opening
Width	315	300
Height	155	135
Depth	120	86
Accessibility Mounting Height	710	N/A



### B-6999

#### Surface-Mounted Toilet Tissue Dispenser with Hood for Two Rolls

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets). **B-69997**, with satin finish, also available.

	Unit
Width	315
Height	155
Depth	120



**B-6699**

**Surface-Mounted Toilet Tissue Dispenser with Hood**

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets).

**B-66997**, with satin finish, also available.

	Unit
Width	155
Height	155
Depth	120



**B-2890**

**Surface-Mounted Single Jumbo Roll Toilet Tissue Dispenser**

Satin-finish type 304 stainless steel. Equipped with key lock. Spindle holds one 254mm diameter roll with 76mm diameter core. Convertible for 55mm and 41mm diameter core rolls. Powder-coated mounting plate. Slot in door reveals tissue supply.

	Unit
Diameter	271
Depth	115



**B-2892**

**Surface-Mounted Twin Jumbo Roll Toilet Tissue Dispenser**

Satin-finish stainless steel. Equipped with key lock. Spindles hold two 254mm diameter rolls with 57mm diameter core rolls; convertible for 76mm diameter core rolls. Sliding access panel exposes one roll at a time, allows easy roll change-over. Wide viewing slot in door.

	Unit
Width	525
Height	290
Depth	135



## GRAB BARS

### B-6806

#### Straight Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.



Bar Diameter	38
Length	305
	455
	610
	760
	915
	1065
	1220

### B-68137

#### Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.



Bar Diameter	38
Width	914
Length	1372

### B-68616

#### Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.



Bar Diameter	38
Width	610
Length	914

## DESIGNER'S NOTES

- Check with your local Bobrick distribution partner for regionally compliant products, including ADA, EN, DDA, Doc M and other standards.
- Clearance between wall and grab bar for B-6806 and B-5806 series is 38mm.
- Bar passes through flange and is heliarc welded to form single structural unit.
- Compliance with structural strength requirements: grab bars that provide 38mm clearance from the wall can support loads in excess of 408kg when properly installed.
- Mandrel bending process ensures uniform bar diameter around curves.
- All joints and supports are contour-cut and welded.
- Concealed anchors and fasteners available as an optional accessory.

Series	*B-6806
Diameter	38
Finish	Satin-Finish

Series	*B-5806
Diameter	32
Finish	Satin-Finish

*\*Peened non-slip gripping surface available. Add suffix .99 to model number.*



## B-5806

### Straight Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

Bar Diameter	32
Length	305
	455
	610
	760
	915
	1065
	1220



## B-580616

### Straight Grab Bar

Vinyl-coated grab bar for bath/shower/toilet compartment. Bars are corrosion resistant, zinc coated steel pipe with vinyl antibacterial, biocompatible, and warm-to-the-touch coating.

Bar Diameter	32
Length	455
	610
	915
	1065



## B-58616

### Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

Bar Diameter	32
Width	610
Length	917



## B-4998

### Wall-Mounted Swing-Up Grab Bar

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Exposed mounting. Use B-4998.99 for version with peened gripping surface. Patented.

Bar Diameter	32
Bar Length	737
Mounting Plate Width	155
Mounting Plate Height	220





## SANITARY BINS



### B-4354 ConturaSeries

#### Partition-Mounted Sanitary Bin

Satin-finish stainless steel. Mounts centred through toilet partitions. Self-closing doors pull down on both sides for access to disposal. Removable, leak-proof, 2.7L plastic bin.

	Unit	Partition Opening
Width	324	280
Height	279	240
Partition Thickness	13-22	N/A
Accessibility Mounting Height	762	N/A



### B-270 ConturaSeries

#### Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Cover is drawn, one-piece construction; secured to cabinet with full length stainless steel piano-hinge. 3.8L.

	Unit
Width	190
Height	255
Depth	95
Accessibility Mounting Height	762



### B-35303 TrimLineSeries

#### Recessed Sanitary Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Self-closing panel covers disposal opening. Removable, leak-proof, 4.5L plastic bin.

	Unit	Wall Opening
Width	330	290
Height	480	440
Recess	90	95
Projection	14	N/A



### B-35139 TrimLineSeries

#### Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Door equipped with magnetic catch and cable door-swing limiter. Removable, 2.3L steel bin.

	Unit
Width	205
Height	360
Depth	115



### B-254 ClassicSeries

#### Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Door has key lock. Self-closing panel covers disposal opening. Removable, leak-proof, 4.5L plastic bin.

	Unit
Width	270
Height	385
Depth	105



## SEAT COVER DISPENSERS



### B-4221 ConturaSeries

#### Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom.

	Unit
Width	400
Height	285
Depth	55
Accessibility Mounting Height	760



### B-221 ClassicSeries

#### Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom.

	Unit
Width	400
Height	280
Depth	50
Accessibility Mounting Height	760



### B-3574 ClassicSeries

#### Recessed Seat Cover Dispenser, Sanitary Napkin Disposal, Toilet Tissue Dispenser

Satin-finish stainless steel. Seamless beveled flange. Mounts in side wall of single compartment. Capacity: 3.0L. Holds 500 toilet seat covers and two rolls of tissue. Theft-resistant spindles. **B-357** for partition-mounted, **B-3579** for surface-mounted.

	Unit 3574	Unit 357	Unit 3579	Wall Opening	
				3574	357
Width	435	435	435	405	395
Height	780	780	785	745	735
Overall Depth	105	110	105	102	N/A
Projection	5	40	105	N/A	N/A
Partition Thickness	N/A	13-51	N/A	N/A	N/A
Accessibility Mounting Height	1100	1100	1130	1075	1075



### B-3013 TrimLineSeries

#### Recessed Seat Cover Dispenser

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 500 toilet seat covers.

	Unit	Wall Opening
Width	445	405
Height	330	290
Recess	60	70
Accessibility Mounting Height	1240	1220



# SPECIALTY ACCESSORIES



**B-398**  
**Recessed Medicine Cabinet**  
*Page 44*



**B-4112**  
**ConturaSeries**  
**Surface-Mounted Soap Dispenser**  
*Page 21*



**B-221216** **Foot-Operated Waste Receptacle**  
*Page 15*



**B-4998**  
**1 1/4" Diameter**  
**Swing Up Grab Bar**  
*Page 40*



**B-918116R**  
**Bariatric Folding**  
**Shower Seats**  
**with Legs** .....

*Page 46*



**Medical Office**

Products: B-221216, B-26212, B-165, B-2111, B-7816



**Bathroom**

Products: B-49916, B-5116,  
B-580616, B-4207



## BATHROOM ACCESSORIES



### B-297

#### Surface-Mounted Medicine Cabinet

All-steel cabinet and two fixed shelves with baked white enamel finish. Mirror: No. 1 quality, 3mm glass electrolytically copper-plated. Door has enameled steel piano-hinge and magnetic catch.

	Unit B-297	Unit B-397	Wall Opening B-397
Width	360	405	355
Height	515	655	600
Depth	95	85	89
Projection	N/A	25	N/A
Accessibility Mounting Height	1495	1595	1625



### B-398

#### Recessed Medicine Cabinet

Type 304 stainless steel, satin-finish. Mirror: No. 1 quality, 6mm glass electrolytically copper-plated. 15-year guarantee against silver spoilage. Door has full-length stainless steel piano-hinge, magnetic catch and cable doorstop. Four adjustable stainless steel shelves. Cabinet may be inverted for right- or left-hand door swing.

	Unit B-299	Unit B-398	Wall Opening B-398
Width	430	430	385
Height	685	685	650
Depth	130	85	92
Projection	N/A	45	N/A
Accessibility Mounting Height	1630	1630	1655



### B-635

#### Klutch Mobile Device Holder

Unique stainless steel holder for storing mobile devices. Sleek, compact design "klutches" mobile devices for safety and fits with any décor. Easy installation makes it suitable for toilet compartments, common spaces or private areas. Integrated bag hook holds up to 300 lbs and can accommodate multiple items.

	Unit
Width	190
Height	228
Depth	64



**Grand Prize Winner**  
Product Innovations 2019  
Presented by BUILDINGS



**Winner**  
Product Innovation Awards 2019  
Presented by Architectural Products



## BATHROOM ACCESSORIES



### B-671

#### Surface-Mounted Single Robe Hook

Bright-polished stainless steel. Flange is 51 x 51mm. Projects 51mm from wall.



### B-676

#### Surface-Mounted Towel Shelf with Towel Bar

Shelf 159mm wide, consists of four 8mm square tubes firmly mounted in support arms. 8mm square towel bar below shelf. 610mm length. Projects 216mm from wall.



### B-4207 Series

#### Curved Shower Rods

Satin-finish curved shower rod fabricated from 20-gauge (1.0mm) stainless steel. Chrome-plated zinc swivel brackets.

	B-4207x60	B-4207x72
Diameter	25	25
Outward Curve (Ends to Center)	229	229
Length	1524	1829



### B-680

#### Surface-Mounted Soap Dish

Bright-polished stainless steel. Drawn, one-piece soap dish welded to support arm and flange. Two ridges to support bar of soap and two drain holes. Unit 114mm wide, 51mm high; projects 86mm from wall.



### B-545

#### Cubicle Collection

##### Surface-Mounted Towel Bar

Satin-finish stainless steel. Threaded flanges conceal mounting plates, provide snug fit into wall. Flanges have 50mm diameter, projects 33mm from wall.

Available in 457mm and 610mm lengths. See page 36 for other Cubicle Collection models.



### 204-2

#### Vinyl Shower Curtain

Opaque, matte white vinyl, 0.2mm thick, contains antibacterial and flame-retardant agents. Nickel-plated brass grommets along top. Bottom and sides are hemmed. Curtain 1067mm wide, 1829mm high. Requires 7 hooks, not included.



## KOALA KARE PRODUCTS

### THE RECOGNISED LEADER IN CHILDCARE ACCESSORIES

Koala Kare Products, the world's most recognised brand of Baby Changing Stations and commercial childcare products is a division of Bobrick. Highlighted by the KB300 Series of 18 new baby changing stations available in plastic, stainless steel, and black matte finishes with compliant horizontal and vertical orientations. Features include Microban® product protection in the bed surface that inhibits the growth of odor-causing bacteria. Each KB300 Series station also has an internal steel frame for superior strength and safety.



DESIGN

COMPLIANT

HYGIENIC

#### DESIGNER'S NOTES

- For enhanced hygiene, all KB300 Series stations are equipped with built-in dispensers for sanitary bed liners and the Koala Pouch™ that dispenses diaper disposal sacks.
- Most Koala Kare Baby Changing Station models comply with EN 12221-1/-2 European Standards, ANSI S117.1 Accessible and Usable Buildings and Facilities, ASTM F2285-22 Standard Consumer Safety Performance Specification for Diaper Changing Tables for Commercial Use, and ADA Accessibility Standards for height, reach, projection, operation when correctly installed.



**KB310-SSRE**

**Horizontal Stainless Steel Recessed-Mounted Baby Changing Station**

One-piece, deep-drawn, uniform grain stainless steel exterior. Moulded grey colour polypropylene changing surface. 1050 mm W x 665 mm H. Depth (closed) 69 mm Extension (open) 442 mm. Patented.

**KB310-SSRE-MBLK** Similar to KB310-SSRE, but with Matte Black finish. Patented.

**KB310-SSWM** Similar to KB310-SSRE, but surface mounted. Patented.

**KB310-SSWM-MBLK** Similar to KB310-SSWM, but surface mounted. Patented.



**KB311-SSRE Vertical, Recessed-Mounted Baby Changing Station**

One-piece, deep-drawn, uniform grain stainless steel exterior. Moulded grey colour polypropylene changing surface. 665 m W x 1050 mm H. Depth (closed) 69 mm Extension (open) 834 mm. Patented.

**KB311-SSRE-MBLK** Similar to KB311-SSRE, but with Matte Black finish. Patented.

**KB311-SSWM** Similar to KB311-SSRE, but surface mounted. Patented.

**KB311-SSWM-MBLK** Similar to KB311-SSWM, but with Matte Black finish. Patented.



**DESIGNER'S NOTE**

Vertical changing stations are an ideal solution for restrooms with limited wall space. Koala's KB301, KB301-SS, and KB311 offer EN and accessibility compliance in a variety of colors and finishes.



### KB300

#### Horizontal, Wall-Mounted Baby Changing Station

Constructed of polypropylene and features an exterior ring for enhanced aesthetics. Unit 897 mm W, 528 mm H. Depth (closed) 102 mm. Extension (open) 539 mm. Patented.

Available in Beige (00), Grey (01) and White Granite (05).



### KB300-SS

#### Horizontal, Wall-Mounted Baby Changing Station with Stainless Steel Veneer

Constructed of polypropylene with 22-gauge, Type-304 brushed stainless steel veneer. Unit 897 mm W, 528 mm H. Depth (closed) 102 mm. Extension (open) 539 mm. Patented.

**KB301-SS** Similar to KB300-SS, but with vertical orientation.

Available in Grey (01) and White Granite (05).



### KB301

#### Vertical, Wall-Mounted Baby Changing Station

Constructed of polypropylene and features an external ring for enhanced aesthetics. Unit 538 mm W, 911 mm H. Depth (closed) 101 mm. Extension (open) 931 mm. Patented.

Available in Beige (00), Grey (01) and White Granite (05).



### B-918116 Series

#### Bariatric Folding Seats with Legs

Seat has three front swing-down zinc-plated steel legs with white vinyl antibacterial coating. Seat is high-pressure laminate with matte-finish, white-coloured surfaces. Can be folded up when not in use. Has strength to support 500kg when properly installed.

**B-918116R** for right-hand seat. **B-918116L** for left-hand seat.



### B-50516

#### Recessed Heavy Duty Specimen Pass-Through Cabinet

Satin-finish stainless steel cabinet with interlocking doors to prevent the opening of both doors at same time. Compliant with ICC/ANSI A117.1 for operation with one hand with less than 22.2N of force without tight grasping, pinching or twisting of the wrist.

	B-50516	B-50517
Width	343	343
Height	343	343
Depth	178	280
Wall Depth	76-152	76-254



### B-7816

#### Charting Station/Shelf

Satin-finish folding charting station constructed of 20 gauge (0.91mm), Type 304 stainless steel. Desk top supported by two articulating support arms that retract into a concealed location within the desk. Folds up to a compact, minimal profile. Suitable for writing, laptop computer or instrument storage.

	Unit
Width	560
Depth, Open	381
Height	406
Depth, Closed	35



### B-221216

#### Pedal-Operated Waste Bin

Satin-finish stainless steel. Receptacle clamps hold disposable liner in place. Non-slip foot pedal enables hands-free opening. Included is a free infectious and hazardous waste adhesive label to identify refuse that requires special handling. Labels meet OSHA labeling requirements. Capacity: 45.4L.

	Unit
Width	335
Height	597
Depth	356



# WHY BOBRICK?

## PORTFOLIO OF VALUES

What makes Bobrick an industry leader? A legacy of commitment to solving the challenges that matter most to architects, building owners, facility managers and patrons.

### BOBRICK

Architects, developers and facility managers have selected Bobrick's performance-engineered washroom accessories with confidence for more than a century. As the market leader, we deliver building owner value through design excellence, compliance, sustainability and economical cost-in-use.

### DESIGN

Three design-integrated series of accessories include ConturaSeries for prestige properties, TrimLineSeries for up-scale buildings and ClassicSeries for standard use and heavy-traffic projects. From Class A to education and healthcare, recessed and surface-mounted, we have your design.

### DURABLE

Robust engineering and built-in maintainability are the standards for our products, providing long-lasting functionality. Reduced repair and replacement costs also deliver a positive impact on the operating budget.

### HYGIENIC

Bobrick is at the forefront of the touch-free commercial restroom with automatic models to limit cross contamination. Our stainless products are easy to maintain and sanitise through regular cleaning. Microban™ Antimicrobial protection is a Koala™ baby changing station exclusive.

### SUSTAINABLE

Accessories fabricated of 50% - 70% post-industrial stainless steel contribute toward LEED International certification. Soap and towel dispensers are engineered to reduce consumables, thereby reducing the operating footprint of a given building.

### ECONOMICAL

Cost-in-use savings are also trademarks of Bobrick restroom accessories. Products are designed to control soap and paper towel usage, reduce labour and maintenance expense, and to be vandal-resistant. Savings calculators, available online, confirm the substantial savings and return on investment.

### FREEDOM

Non-proprietary dispensing of universal paper towels and bulk soap help building owners escape the high prices of consumable contracts common to closed system products. This facilitates open-market procurement and the ability to take advantage of a large variety of soap and towel options.

### COMPLIANT

Bobrick is committed to offering the support you need to satisfy EN, DDA, Doc M, ICC/ANSI and other compliance standards throughout the world. Accessories are engineered to meet the latest accessibility requirements, such as wall protrusion, mounting heights, reach and operation. Bobrick gladly provides detailed consultation on compliant product selection and installation.



**THE BOBRICK ADVANTAGE:**  
**GLOBAL SPECIFICATIONS PROGRAM**

Only Bobrick’s global representatives can assist in global specifications and distribution fulfillment throughout the world.

**HOW IT WORKS**

**Architectural Inception**

Architects in major global centers work on large projects and specify Bobrick brands on overseas projects such as:

- Airports
- Five-Star Hotels
- Convention Centers
- Office Buildings
- Museums
- Shopping Malls
- Universities
- Hospitals

Bobrick can assist in writing and advising on appropriate specifications to meet the values you desire for your project.

**Bobrick Engagement**

Bobrick’s global, regionally-based architectural representatives follow up on these global opportunities to assist in the specification and with distribution. Complex projects throughout the world can be managed by Bobrick’s International team to ensure seamless fulfillment.

Our representatives can secure strong basis-of-design specifications and provide appropriate sourcing and fulfillment partners.

**HAVE A PROJECT?**

Let us assist you. Contact Bobrick International at [globalspecs@bobrick.com](mailto:globalspecs@bobrick.com) or 1.818.392.1080.




Hamad Airport, Qatar



Marina Bay Sands Hotel, Singapore



Maracanã Stadium, Brazil



Mumbai International Airport, India



National Convention Centre, Qatar



BUILDING VALUE SINCE 1906

## Bobrick International

[Bobrick.com](http://Bobrick.com)

---

<b>Europe</b>	+44 (0)20 8366 1771	<a href="mailto:euoffice@bobrick.com">euoffice@bobrick.com</a>
<b>UK</b>	+44 (0)20 8366 1771	<a href="mailto:uksales@bobrick.com">uksales@bobrick.com</a>
<b>Latin America</b>	+1.954.755.8934	<a href="mailto:latam@bobrick.com">latam@bobrick.com</a>
<b>Middle East</b>	+971 4 3871357	<a href="mailto:infomea@bobrick.com">infomea@bobrick.com</a>
<b>Australia</b>		<a href="mailto:australia@bobrick.com">australia@bobrick.com</a>
<b>Asia</b>	+971 4 3871357	<a href="mailto:infomea@bobrick.com">infomea@bobrick.com</a>
<b>Corporate</b>	+1.818.764.1000	<a href="mailto:international@bobrick.com">international@bobrick.com</a>

Illustrations and descriptions herein are applicable to production as of the date of this catalogue. The manufacturer reserves the right to, and does from time to time, make changes and improvements in designs and dimensions.

**For product warranty information, including warranty conditions and limitations for Bobrick Washroom Accessories, Koala Kare Products Baby Changing Stations and Child Protection Seats and other products, please visit [bobrick.com](http://bobrick.com).**

**Bobrick, Koala Kare and MICROBAN and other brand names are registered with the United States Patent and Trademark Offices and as trademarks in several countries throughout the world. For patent information, please visit [bobrick.com/patents](http://bobrick.com/patents).**